

volta

ELECTRIC

Unlimited Power



GLOBAL
ENERGY


green 

All in one – Iluminación Pública Solar



Designed in AZ, USA Manufactured in China

Product details




Designed in AZ, USA Manufactured in China

características



Gran superficie de la lente, gran luminosidad ángulo y gran área de irradiación; 3030 perlas de luz brillante; diseño de lente aerodinámico con montura de aleación de aluminio con espacio en forma de arco



Oblea de silicona de alta eficiencia
Índice de conversión ultraalto
Tratamiento especial de la superficie



Batería de litio integrada
Carcasa de aluminio de calidad aeronáutica
Tratamiento único de oxidación blanca brillante de todo el cuerpo. Ultrafino, ultraligero y de alto rendimiento



Las tapas delantera y trasera están diseñados para mejorar la integración del cuerpo a la lámpara, lo que reduce en gran medida el efecto del viento.

Designed in AZ, USA Manufactured in China

Modelos

PM01 40W		Materials panel LED	Aluminium Alloy
		source CCT Beam	51W Mono PV module
		angle	4000Lm 60*1pcs
		LiFePO4 battery	6000-7000K
		Working Model	160x70°
		Discharge time	201 WH
		Lamp Size Packing	Time/Sensor/Time+Sensor
		Carton Size	12 hours per day and 3 rainy days
		Installation	804*371*145mm
		recommendations	890*460*220mm
PM02 60W		Materials panel LED	Aluminium Alloy
		source CCT Beam	64W Mono PV module
		angle	6000Lm 60*2pcs
		LiFePO4 Working	6000-7000K
		Discharge Lamp	160x70°
		Size Packing Carton	302 WH
		Size	Time/Sensor/Time+Sensor
		Installation	12 hours per day and 3 rainy days
		recommendations	926*371*145mm
			1010*460*220mm
PM03 80W		Materials panel LED	Aluminium Alloy
		source CCT Beam	85W Mono PV module
		angle	8000Lm 6000-7000K 60*3pcs 160x70°
		LiFePO4 Working	403 WH
		Discharge Lamp	Time/Sensor/Time+Sensor 12
		Size Packing Carton	hours per day and 3 rainy days
		Size	1166*371*145mm
		Installation	1250*460*220mm
		recommendations	
			Matching Lamp Pole Top Size 80mm
			Mounting height : 7-8M (x)
			Distance between each lamp: 20-30M (y)


Designed in AZ, USA Manufactured in China

PM04 100W		Materials Solar	Aluminium Alloy
		panel LED source	107W Mono PV module
		CCT Beam angle	10000Lm 6000-7000K 4pcs 60*70°
		LiFePO4 battery	502 WH
		Working Model	Time/Sensor/Time+Sensor 12
		Discharge time	hours per day and 3 rainy days
		Lamp Size Packing	1346*371*145mm
		Carton Size	1430*460*220mm
		Installation	
		recommendations	
			Matching Lamp Pole Top Size 80mm Mounting height 8-9M (x) Distance between each lamp 20-30M (y)

PM05 120W		Materials panel LED	Aluminium Alloy
		source CCT Beam	122W Mono PV module
		angle	12000Lm 60*6pcs 60*70°
		LiFePO4 battery	6000-7000K
		Working Model	160*70°
		Discharge time	600 WH
		Lamp Size Packing	Time/Sensor/Time+Sensor
		Carton Size	12 hours per day and 3 rainy days
		Installation	1526*371*145mm
		recommendations	1610*460*220mm
			Matching Lamp Pole Top Size 80mm Mounting height 9-10M (x) Distance between each lamp 20-30M (y)

Designed in AZ, USA Manufactured in China

Instalación



Designed in AZ, USA Manufactured in China



Designed in AZ, USA Manufactured in China